

Reason Studios



Reason¹²

Installation Manual

Reason Studios

reasonstudios.com

The information in this document is subject to change without notice and does not represent a commitment on the part of Reason Studios AB. The software described herein is subject to a License Agreement and may not be copied to any other media except as specifically allowed in the License Agreement. No part of this publication may be copied, reproduced or otherwise transmitted or recorded, for any purpose, without prior written permission by Reason Studios AB. ©2023 Reason Studios and its licensors. All specifications subject to change without notice. Reason, Reason Intro, Reason Lite and Rack Extension are trademarks of Reason Studios AB. All other commercial symbols are protected trademarks and trade names of their respective holders. All rights reserved.



Table of Contents



Introduction 7

Welcome! 8

About the Reason documentation 8

About operating system versions 8

Registering Reason (perpetual version only) 8

The Reason download 9

Installation 11

Requirements 12

macOS 12

Windows 12

About the Audio Hardware 13

Audio hardware and macOS 13

If you are using the built-in audio hardware in your Macintosh 13

If you are using other audio hardware with your Macintosh 13

Audio hardware and Windows 13

About MIDI Interfaces 14

MIDI In Connections 14

MIDI Out Connections 14

Installing the Software 15

Installing Reason 15

Setting Up 17

About this Chapter 18

First run - Reason Setup Wizard 18



About the Preferences 20

Setting up the Audio Hardware 21

macOS 22

Windows 22

About Latency and other Audio Settings 22

Setting up MIDI Control Surfaces 23

Automatic set-up using the Easy MIDI Inputs function 23

Adding a specific Control surface 24

If your control surface model isn't listed 27

About the Master Keyboard 27

Master Keyboard Input 28

Other functions 28

Setting up the Default Song 29

Opening the last Song at program launch 29

Reassigning the Function Keys in macOS 30





Chapter 1

Introduction



Welcome!

Thank you for choosing Reason!

Reason 12 comes with a number of great improvements and additions, with version 12.6 featuring native Apple Silicon support and a brand new authorization system. Reason now has a scalable user interface and all rack devices use high-resolution graphics. There is also a new Fast Search in the Reason Browser, which makes finding patches and sounds a lot faster and easier. We also made it a lot easier to use multiple Combinators in series as Insert Effects in the Mixer. As from Reason 12.5, VST3 plugins are also supported.

Reason 12 also comes with the new Mimic Creative Sampler - great for chopping up and playing back samples in very intuitive ways. Last but not least we have updated the Combinator device and heavily enhanced its functionality, letting you create your own unique instruments and effects!

Like the previous version, Reason 12 also lets you use the Reason Rack as a plugin in another compatible DAW.

Don't forget to visit the Reason Studios web site at www.reasonstudios.com and read up on all the new Rack Extension instruments and effects created by ourselves and others that you can add to your rack.

Yours truly,

The Reason Studios Team

www.reasonstudios.com

About the Reason documentation

This is the Installation Manual where installation of Reason and basic setting up procedures are described. Detailed features and operations in Reason are described in the Operation Manual pdf and in the on-line Help system. The Operation Manual and Help also contain reference descriptions of all Reason devices and commands.

About operating system versions

Reason runs under macOS and Windows (for operating system details, see "[Requirements](#)") and only supports 64-bit operating system versions. All Reason packages contain program versions for both platforms. Everything said in the manuals applies to both platforms, unless explicitly stated.

Registering Reason (perpetual version only)

To be able to run your perpetual (licensed) version of Reason 12, the program must be registered to your account on the Reason Studios web site.

- ➔ **If you purchased a Reason license in a music store, follow the instructions you received from the shop.**



- ! **If you purchased Reason directly from the Reason Studios Shop web site, the Reason license has already been automatically registered to your user account and you can use Reason by running it on a computer connected to the Internet.**

The Reason download

The full Reason download contains the complete product contents. When you have downloaded the program package and installed the program, all you have to do is register (perpetual version only) Reason and you are good to go.

- ! **If you are using Reason as part of a Reason+ subscription you can download Reason via the Reason+ Companion application. You don't have to register anything; just launch Reason and log in using your Reason Studios User name and Password.**





Chapter 2

Installation



Requirements

Below you will find the minimum requirements for running Reason:

! Note that these are the minimum requirements! You will benefit from a fast computer with lots of RAM, since this will allow you to use more devices at the same time.

macOS

- Fast and stable Internet connection for installation and registration required!
- Apple Silicon or Intel Mac with multi-core processor
- 4 GB RAM (8 GB or more recommended for large ReFills or Rack Extensions)
- 5.5 GB free system disk space required, plus 8 GB for optional content (and another 12 GB if you are using Reason Suite). Additionally, the program may use up to 20 GB scratch disk space
- macOS 10.13 (High Sierra) or later (64-bit)
- Monitor with at least 1280x768 resolution
- CoreAudio compliant audio interface or built-in audio hardware
- MIDI interface and a MIDI keyboard recommended
- For using Reason as a Plugin, a DAW host with VST3/AUv2/AAX support is required

Windows

- Fast, stable Internet connection for installation and registration required!
- Intel or AMD multi-core processor
- 4 GB RAM (8 GB or more recommended for large ReFills or Rack Extensions)
- 5.5 GB free system disk space required, plus 8 GB for optional content (and another 12 GB if you are using Reason Suite). Additionally, the program may use up to 20 GB scratch disk space
- Windows 10/11 (64-bit)
- Monitor with at least 1280x768 resolution
- Audio Interface with ASIO driver
- MIDI interface and a MIDI keyboard recommended
- For using Reason as a Plugin, a DAW host with VST3/AAX support is required



About the Audio Hardware

! If you are running Reason Rack Plugin, all audio inputs and outputs are handled by the DAW host - refer to the manual for your specific DAW.

The audio hardware is the computer equipment that converts the analog signals from instruments and microphones to digital signals that Reason can work with and store, and back again (for connection to an amplifier, headphones, or similar). This equipment could be a built-in audio card, a 2 channel USB interface, or a Firewire audio interface, or an audio card with several inputs and outputs, digital connectors, etc. Regardless of which, you need to make sure the hardware and its drivers are properly installed:

Audio hardware and macOS

If you are using the built-in audio hardware in your Macintosh

All Mac models come with a built-in audio interface, providing stereo input and output jacks (and in some cases a built-in microphone). Depending on your needs, the quality of these inputs and outputs may be fully sufficient for use with Reason.

If you are using other audio hardware with your Macintosh

You may want to use other audio hardware with Reason (e.g. an audio interface with multiple outputs, digital connections, etc.). For this to be possible, the audio hardware must be compatible with macOS, i.e. there must be a Core Audio driver available for the hardware.

1. Install the audio hardware drivers as described in its documentation.

Note that some audio hardware does not require any special audio drivers. Please, refer to the hardware documentation.

2. Connect the stereo outputs of your audio hardware to your listening equipment (speakers, mixer, headphones or similar).

For info about how to use multiple outputs (i.e. more than a stereo output), see the Operation Manual pdf. For now, we stick to standard stereo connections.

3. If possible, test that audio plays back OK with the audio hardware.

With some audio hardware, a test application is supplied for this purpose.

Audio hardware and Windows

! To run Reason with full audio in and audio out functionality under Windows, an ASIO driver is required for the audio hardware.

Reason can run with DirectX or MME drivers as well but this will only support audio out - and at considerably higher latencies than with ASIO drivers.

1. Make sure you have the latest ASIO driver for the audio hardware!

Please check the manufacturer's web site for the latest versions.

2. Install the audio hardware drivers as described in its documentation.

3. Connect the stereo outputs of your audio hardware to your listening equipment (speakers, mixer, headphones or similar).

For information about how to use multiple outputs (i.e. more than a stereo output), see the Operation Manual pdf. For now, we stick to standard stereo connections.

4. If possible, test that audio plays back properly with the audio hardware.

In the case of audio hardware with ASIO drivers, you will need some test application for this (often included with the audio hardware).



About MIDI Interfaces

While it is possible to use Reason without an external MIDI controller (by only using the "On-screen Piano Keys" window for playing MIDI notes, or by manually drawing notes and automation in the sequencer), this would not allow you to use the program to its full potential. From now on we assume that you are using a keyboard controller - either a USB keyboard with a built-in MIDI interface, or a separate MIDI interface and a MIDI keyboard.

- ➔ **When installing the keyboard controller, or MIDI interface and its drivers, follow the instructions in its documentation carefully.**
- **While a MIDI interface with a single MIDI port is sufficient, you will benefit from having two or more individual MIDI ports.**
This is especially true if you want to manipulate Reason parameters with additional MIDI control surface devices, or use the program in conjunction with an external, stand-alone sequencer, drum machine or similar.
- **For some MIDI interfaces connected via USB, no driver installation is required. Just plug in the interface and you're ready to go!**
- **For other, more advanced MIDI interfaces (or at least to take advantage of more advanced features, like multiple inputs) you will need to install a driver.**
Please consult the documentation that came with the interface for details.

MIDI In Connections

- ➔ **Simply connect the USB cable from your keyboard to your computer.**

Or

- ➔ **Connect a MIDI cable from the MIDI Out on your MIDI keyboard (or other MIDI controller) to a MIDI In on your MIDI interface.**
This is sufficient to be able to play and record notes and controllers in Reason from the MIDI keyboard.
- **If you are not using a USB keyboard, you may also connect the MIDI Out from the MIDI interface to the MIDI In on your MIDI keyboard.**
This is not strictly necessary to use Reason, but it will enable two-way communication when you run the Reason Setup Wizard which appears the first time Reason is launched (see "[First run - Reason Setup Wizard](#)"), or when using Auto-detect Surfaces in the Preferences (see "[Adding a specific Control surface](#)"). Whether auto-detection works or not depends on the keyboard model.
- ! **If you have several MIDI control surfaces or similar that you want to use, we recommend that you connect them to separate MIDI ports (or directly to the computer using USB).**

MIDI Out Connections

If you have external synthesizers, drum machines or other devices that can be played via MIDI, you can control them from Reason. For this you need to have a MIDI interface with one or several outputs.

- ➔ **Connect a MIDI cable from a MIDI Out jack on the MIDI interface to the MIDI In jack on your external instrument.**
Read more about how to control external MIDI devices from Reason in the Reason Operation Manual.pdf or Reason Help in the program.



Installing the Software

! Both the standalone version of Reason and the Rack Plugin are installed in the same procedure. So, even if you are only planning to use the Rack Plugin version of Reason, follow the installation procedure(s) below:

Installing Reason

→ **Unzip the download file (Windows) or mount the disk image file (macOS).**

What to do next depends on whether you are installing on a Mac or a Windows computer.

Windows:

- 1. Locate the file called “Install Reason 12.exe” and double click it.**
- 2. Follow the instructions on screen.**

Before executing the installation of the software components, you will be asked to select a language, an install location, and whether you wish to create a program shortcut/alias on your desktop. When the installation is complete, you have the option of launching Reason directly.

The Reason Rack Plugin VST3 is automatically installed in
C:\Program Files\Common Files\VST3.

The Reason Rack Plugin AAX is automatically installed in
C:\Program Files\Common Files\Avid\Audio\Plug-Ins\

macOS:

- 1. Double click the Reason installation file.**
- 2. Follow the instructions on screen.**

The Reason Rack Plugin VST3 is automatically installed in
Macintosh HD/Library/Audio/Plug-Ins/VST3.

The Reason Rack Plugin AUv2 is automatically installed in
Macintosh HD/Library/Audio/Plug-Ins/Components.

The Reason Rack Plugin AAX is automatically installed in
Macintosh HD/Library/Application Support/Avid/Audio/Plug-Ins

Both platforms:

- At the first program launch, you will also have the option to download additional content from the Manage Content window.**

The optional content consists of Rack Extensions and sound banks and is stored in the “Propellerhead Content” folder in the “Music” folder on your computer. After the download you will have to restart Reason for the optional content to become available.





Chapter 3

Setting Up



About this Chapter


! This chapter is only relevant for the stand-alone version of Reason. For Reason Rack Plugin, no further setup is needed as the host DAW handles audio and MIDI connections.

This chapter describes the settings you need to make before you can start using the stand-alone version of Reason. These are necessary in order to get any sounds to and from the program and to be able to play and control Reason via MIDI.

First run - Reason Setup Wizard

If you followed the instructions correctly in the last chapter, Reason should be running, and the first dialog in the "Reason Setup Wizard" guide should be open.

This only appears the very first time the program is run.



- ! Note that the Language page only appears in the Windows version of Reason. In macOS, the selected system language is used.**
- ! Note that any setting you make in the Setup Wizard can be changed later on in the Preferences dialog.**



→ Clicking “Next” will take you through a series of dialogs, where the following happens:

- **The Setup Wizard will first try to find a compatible audio driver.**

It will automatically select the first compatible driver it finds. If this is the driver you wish to use, fine. If it isn't, select your preferred driver from the Audio Card Driver pop-up. If you don't know which driver to use, see [“Setting up the Audio Hardware”](#).

- **Next, Reason will try to auto-detect a Master Keyboard.**

If one is found, click “Next” to proceed.

! For Reason to auto-detect a device you need two-way MIDI communication! Non-USB keyboard devices without a MIDI input can of course still be added manually.

! Note that your keyboard model might not be auto-detected by Reason, even though it's a modern one and connects via USB. However, you can still use such a keyboard to control Reason in the same way as with an auto-detected keyboard.

- **Note that if you have additional remote control surface devices in your setup, these might have to be added in the Preferences - see [“Adding a specific Control surface”](#).**

The Setup Wizard will only establish a connected Master Keyboard device.

Setup is now complete!

If all went well, you should now have established audio and MIDI communication - the basics needed to record and play back audio and for controlling Reason via MIDI!

However, if for any reason the Setup Wizard failed to establish the necessary settings, or if you wish to add other devices etc., you will have to make your settings in the Preferences dialog (see below).


- **At the first program launch, you will also have the option to download additional content from the Manage Content window.**

The optional content consists of Rack Extensions and sound banks and is stored in the “Propellerhead Content” folder in the “Music” folder on your computer. After the download you will have to restart Reason for the optional content to become available.



About the Preferences

The basic settings for audio and MIDI are done in the Preferences dialog. This is opened from the Edit menu (or, if you are running macOS, from the Reason menu).



The Preferences dialog.


- Described herein are only the most important settings in the Preferences. For information about other Preferences settings, see the “Menu and Dialog Reference” chapter in the Reason Operation Manual pdf.



Setting up the Audio Hardware

In case this wasn't done in the Setup Wizard, you need to establish a connection between Reason and the audio hardware. This is done by selecting a driver - a software component that acts like a link between the program and the audio hardware. Proceed as follows:

1. In the Preferences dialog, click the Audio tab.



2. Pull down the Audio card driver pop-up menu and select one of the available drivers.

Which driver to select depends on the platform and the audio hardware. If an option is not applicable to your setup it will be disabled in the dialog.



macOS


- ➔ **Select the option that corresponds to the hardware you want to use (the built-in audio connectors or some additional audio hardware that you have installed).**
- **A number of predefined combinations of built-in inputs and outputs will also be available in the Audio Card Driver pop-up.**
The number of available input(s)+output(s) combinations depends of your computer's specific audio hardware configuration.

Windows

- ! **If you run Reason under Windows, it's required that the audio hardware supports ASIO drivers, otherwise you won't be able to record any audio.**
- ➔ **Select the option that corresponds to the ASIO hardware you want to use.**
If you are using audio hardware for which there is a specific ASIO driver, you should select this. With an ASIO driver written specifically for the audio hardware, Reason can communicate more or less directly with the audio hardware. The benefits are lower latency (see below) and possibly better support for additional hardware features such as multiple inputs and outputs.

About Latency and other Audio Settings

On the Audio tab, you will find a number of additional settings for audio. The most important ones are Buffer Size and the corresponding readouts for Input and Output Latency.



The Input Latency is the delay between when the audio is "sent" from a connected microphone or instrument and when it's received and detected by Reason. Output Latency is the delay between when audio is "sent" from Reason and when you actually hear it. The latencies in an audio system depends on your audio hardware, its drivers and their settings.

When you select a driver, its latency values are automatically reported by the audio card and displayed in the on the Audio tab in Preferences. Depending on the audio hardware and the driver, you may be able to adjust these values. If you experience high latency values, you will need to make adjustments to your configuration.

- ➔ **If available, use the Buffer Size slider to lower the latency.**
The lowest buffer size setting you can choose depends on the audio drivers and your computer's performance. If you get crackles and glitches during playback, the buffer size is set too low for your system - you need to raise the buffer size until you can play back normally.
- ➔ **If the Buffer Size slider is disabled, you may be able to lower the buffer size in the control panel for the audio hardware - click the Control Panel button to open this.**

For more information, please consult the Reason Operation Manual pdf.



Setting up MIDI Control Surfaces

In Reason, MIDI keyboards or remote control devices are called control surfaces. MIDI input from control surfaces can be handled by two systems: "Easy MIDI Inputs" and Remote. Here are some of the main features:

- **You can use any number of control surfaces at the same time.**
- **The program supports a large number of control surfaces out of the box - knobs, faders and buttons on the surfaces are automatically mapped to the most useful parameters on the Reason devices.**

You don't have to change the settings on the control surface to control different devices in Reason - if you change MIDI input from a ID-8 track to a Combinator track, the control surface will automatically adapt. You just set up your control surface once and for all for use with Reason - the program handles the rest!

- **For control surfaces that are not natively supported at this stage, you can use generic drivers.**

Note however, that Remote drivers for additional control surfaces will be added continuously - check our web page for more info.

- **By default, all control surfaces follow the sequencer Master Keyboard Input.**

This means that you set MIDI input to a track in the sequencer to route the control surface(s) to the track's device in the rack.

- **You can lock a control surface to a specific device in the rack.**

For example, you could have a Master Keyboard that follows MIDI input, while another control surface is locked to the Main Mixer. This way you can control levels and pans at all times. This is described in the Operation Manual.

- **You can use remote overrides to map a specific control on a surface to a specific Reason parameter or function.**

For example, you could override-map a knob or fader on your control surface to the Main Mixer's master level fader. Or you could map buttons on your control surface to control Reason's transport (play, stop, record, etc.) at all times, regardless of which track has Master Keyboard Input in the sequencer. This is described in the Operation Manual.

- **Remote also supports some control surfaces with MIDI feedback.**

If you have such a control surface and it is supported by Reason, you can take full advantage of motorized faders, meters, displays, etc.


In case you specified a Master Keyboard in the Setup Wizard, and you don't have any other control surfaces, you don't have to do anything else. But if you want to add additional control surfaces or edit your settings, this is done in the Preferences.

Automatic set-up using the Easy MIDI Inputs function

By default Reason automatically scans and detects all available MIDI In port(s) on your computer. If you have a MIDI keyboard or MIDI control surface connected to your computer, Reason automatically connects and lets you use it for controlling Reason. This way you don't have to do any manual set-up but can start controlling Reason right away.



At the bottom of the MIDI tab in Preferences all currently available MIDI In Ports are listed:



All available MIDI In Ports on your computer are listed in the Easy MIDI Inputs list.

- **The Easy MIDI Inputs function supports input of MIDI Note On/Off (with Velocity) as well as standard performance controllers, such as Mod Wheel, Pitch Bend and Sustain Pedal.** You can also do manual Remote Overrides to assign Reason parameters to knobs/sliders/buttons on your control keyboard/surface. See the Remote chapter in the Operation Manual for more information.
- **Deselect the Enabled box(es) to disable MIDI Ports you don't want to be available for Reason.**
For example, if you have a drum machine connected via USB to your computer, you might not want it to start sending MIDI Note data to Reason, especially if it's synced to MIDI Clock to Reason's sequencer.


Adding a specific Control surface

If your specific MIDI keyboard/control surface model is featured in the list of supported surfaces in Reason you will get even more functionality if you add it in the "Remote keyboards and control surfaces" section at the top - with knobs/sliders/buttons already pre-assigned to parameters in Reason.

1. **Open the Preferences dialog and click the MIDI tab.**
2. **If your control surface is connected via USB (or if you have made a two-way MIDI connection), try clicking the Auto-detect Surfaces button.**
Reason sends an ID request to all MIDI ports and checks for answers from any connected control surfaces. Note that not all control surfaces support auto-detection.



- ! If a MIDI Port of your connected control surface/keyboard is already used by the Easy MIDI Inputs function (see “Automatic set-up using the Easy MIDI Inputs function”), this detection will override this and automatically remove the MIDI In Port from the Easy MIDI Inputs list.




All found surfaces are listed in the “Remote keyboards and control surfaces” list.

3. To add a control surface manually, click the “Add manually” button.
This brings up a new dialog.
4. Select the manufacturer of your control surface from the Manufacturer pop-up menu.
If you can't find it on the menu, see below.
5. Select the model of your control surface from the Model pop-up menu.
If you can't find it on the menu, see below.



6. An image of the selected control surface model is shown, often along with some information text - read this carefully.

For some control surfaces, you need to select a specific preset to use the surface with Reason - this is noted here.



The screenshot shows a dialog box for selecting a MIDI input. It has a 'Manufacturer' dropdown set to 'Doepfer' and a 'Model' dropdown set to 'Drehbank'. To the left of the text is a small image of a MIDI keyboard. The text reads: 'When you use the Doepfer Drehbank you need to make sure that Bank 2 is selected, and that it hasn't been changed from the factory default. For more info, please see the "Control Surface Details" document in the Documentation folder.' Below this is a 'Name' text field containing 'Doepfer Drehbank'. At the bottom left is a 'MIDI Input' dropdown set to 'Not selected', followed by a 'Find' button. At the very bottom are 'OK', 'Cancel', and 'Help' buttons.

7. Use the MIDI Input pop-up to select the input port to which you have connected the surface.

If in doubt, you can click the Find button and then tweak a control or play a key on the control surface to have Reason find the correct input port for you.

- Some control surfaces may have more than one MIDI Input pop-up menu.**

You need to select ports on all MIDI Input pop-up menus.

- Some control surfaces will have a MIDI Output pop-up menu.**

In some cases this is labeled "Optional" - then you don't have to make a selection. In other cases, a MIDI Output is required. This is the case if the control surface uses MIDI feedback - motor fader, displays, etc.

8. If you like, you can rename your control surface in the Name field.

9. Click OK to add the surface.

- Depending on the surface model, alerts may appear, reminding you to select a specific preset etc.**

In some cases, Reason can restore a preset in the control surface to factory settings for you - you are then informed of this.

Finally you return to the MIDI tab in Preferences, where your added surface is now listed.



If your control surface model isn't listed

If you can't find your control surface listed on the Manufacturer or Model pop-up menus when you try to add it, this means that there's no native support for that model. However, the program supports generic keyboards and controllers. Here's what to do:

- ➔ **Select "Other" on the Manufacturer pop-up menu and then select one of the four options on the Model pop-up menu.**

Or, if the Manufacturer is listed but not your specific model:

- ➔ **Select one of the four "Other" options on the Model pop-up menu:**

In both cases, the options are:

- **MIDI Control Keyboard**
Select this if you have a MIDI keyboard with programmable knobs, buttons or faders. You need to set up your MIDI control keyboard so that the controllers send the correct MIDI CC messages, depending on which Reason device you want to control - check out the MIDI Implementation Chart in the Reason documentation. If your control surface has templates or presets for different Reason devices, these can be used.
- **MIDI Control Surface**
Select this if you have a MIDI controller with programmable knobs, buttons or faders (but without keyboard). Again, you need to set your controllers to send the correct MIDI CCs.
- **MIDI Keyboard (No Controls)**
Select this if you have a MIDI keyboard without programmable knobs, buttons or faders. This is used for playing only (including performance controllers such as pitch bend, mod wheel, etc.) - you cannot adjust Reason device parameters with this type of control surface.
- **MIDI Multichannel Control Keyboard/Surface**
These options can be used if your MIDI keyboard or surface can handle multiple MIDI channels simultaneously.

After selecting a model, proceed with selecting MIDI input as described above.

About the Master Keyboard

One of the control surfaces can be the Master Keyboard. This is like any other control surface, but it must have a keyboard and it cannot be locked to a specific Reason device (in other words, it always follows the MIDI input to the sequencer). This is the surface you use to play the instrument devices in Reason.

- **The first surface with a keyboard that is added (or found by auto-detect) is automatically selected to be the Master Keyboard.**

This is shown in the Attached Surfaces list on the Preferences page.


- ➔ **If you want to use another surface as Master Keyboard, select it in the list and click the "Make Master Keyboard" button.**

You can only have one Master Keyboard.

- ➔ **If you don't want to use any Master Keyboard at all, select the current Master Keyboard surface and click the same button (which is now labeled "Use No Master Keyboard").**



Master Keyboard Input



This allows you to set a preference for how Master Keyboard Input mode is selected:

- **Standard mode**
This always sets Master Keyboard Input to the selected sequencer track.
- **Separated mode**
This will allow you to independently select tracks while Master Keyboard Input is unchanged. When this mode is active, Master Keyboard Input is set by clicking the device icon in the track list. Selecting another track (by clicking on the track name or somewhere in the track list), leaves Master Keyboard Input unchanged.

Other functions


- **To edit a surface, double-click it in the list (or select it and click Edit).**
This lets you change its name and MIDI port settings, if needed.
- **To delete a surface, select it in the list and click Delete.**
- **You can turn off a surface by deactivating its “Use with Reason” checkbox.**
This could be useful if the surface is connected to your system but you only want to use it with another program, etc.
- **There is also a “Sync” page in the Preferences.**
This is only used for External Control MIDI buses and for MIDI Clock Sync. All hands-on MIDI control is set up on the MIDI page.



Setting up the Default Song

It's possible to select a default Song which will automatically open as a "template" each time you select "New" from the File menu. The Default Song could be any Song you have created earlier, or a factory made Template Song. You can select this Default Song on the General tab in Preferences.

1. **Select "Preferences" from the Edit menu (Win) or "Reason" menu (Mac) and then click the General tab.**
2. **Click the "Template" radio button in the "Default Song" section.**



3. **Click the folder icon to the right and select the Song you want to use as template when creating new Songs.**


Each time you create a new Song (by selecting "New" from the File menu), the selected Song will be loaded and used as a template for your new Song. On Windows platforms, the Song document will be named "Document n" where "n" is an incremental number. On macOS platforms, the document will be named "untitled n" where "n" is an incremental number. You can then save your Song with a new name.

Opening the last Song at program launch

It's possible to instruct Reason to automatically open the last Song each time you launch Reason. You select this on the General tab in the Preferences dialog.

1. **Select "Preferences" from the Edit menu (Win) or "Reason" menu (Mac) and then click the General tab.**
2. **Tick the "Load Last Song On Startup" checkbox.**

When you launch Reason the next time, the last saved Song will automatically open in a document window.




Reassigning the Function Keys in macOS

When you work with Reason, you will do a lot of navigating between the three main areas - the main mixer, the rack and the sequencer. The quickest way to switch between these areas is to use the function keys F5, F6 and F7 (see "Navigating between the areas" in the "Common Operations and Concepts" chapter in the Operation Manual and Help system for details). Also, the F2, F3, F4 and F8 keys are shortcuts for showing and hiding the Spectrum EQ window, Browser, On-screen Piano Keys window and the Tool Window, respectively.


However, on many Macintosh models (especially MacBooks), the function keys double as hardware control buttons. For example, they might control the volume of the built-in speaker, the display brightness or keyboard backlight. To make these keys actually work as function keys for software such as Reason, you need to hold the "Fn" key while pressing them.

This can work perfectly OK, but to get the best workflow in Reason we recommend that you change this behavior, so that pressing e.g. the F5 key actually sends "F5" to Reason (and you hold down the Fn key to get the hardware control functions instead). Here is how you change this:

1. Open the System Preferences in macOS and select the "Keyboard" item.




2. Click the "Keyboard Shortcuts..." button:



3. Select the "Function Keys" tab and make sure "Use F1, F2, etc. keys as standard function keys" is switched on.

Now you can use F2-F8 for controlling functions in Reason. To use hardware control features such as volume and display brightness, you need to hold down the "Fn" key before pressing the function keys.




Some function keys might also be pre-assigned to macOS keyboard shortcuts, which will have priority over software such as Reason. This is easily changed:

4. Select the "Accessibility" tab.

The Accessibility window shows lists of keyboard shortcuts assigned to system functions. For example, [Cmd]-[F5] is assigned to turn VoiceOver on or off. In Reason, this is the keyboard shortcut for detaching the main mixer into a separate window.

5. Either remove the tick from the checkbox or assign it to another keyboard shortcut.



6. Now you're finished with the settings and can exit System Preferences.

From now on, the function keys and keyboard shortcuts will perform their intended functions in Reason.



